

Cooperator: Mark Thompson  
Mailing Address: \_\_\_\_\_  
City, State, Zip: Badger, IA  
County: Webster  
Telephone: \_\_\_\_\_  
Seed and Trait Rep: \_\_\_\_\_  
Planting Date: \_\_\_\_\_  
Planting Population: 140,000  
Harvest Date: 10/6/2008  
Row Width (inches): 30  
Previous Crop: corn  
Tillage Type: Convet  
% Ground Cover: \_\_\_\_\_  
Years in Con Till: \_\_\_\_\_  
Foliar Insecticide: Cobalt  
Date applied: post  
Rate applied: 16 oz  
Describe Residue: \_\_\_\_\_  
Directions to Plot: \_\_\_\_\_  
Loc. of Plot Row #1: \_\_\_\_\_  
GPS Coordinates: \_\_\_\_\_

Seed Dealer: NEW Cooperative  
City, State: Badger  
Telephone: \_\_\_\_\_  
Contact: Brian Illig  
Prior Yr Herb: Harness/Roundup  
PreEHerb: Trust/Trefan  
Date applied: pre  
Rate applied: 1 qt  
PostEHerb: Roundup  
Date applied: post  
Rate applied: 22 oz  
Soil Applied Insecticide: none  
Date applied: n/a  
Rate applied: \_\_\_\_\_  
Foliar Fungicide: Headline  
Date applied: post  
Rate applied: 6 oz



2008 SOYBEAN HARVEST FORM

Assume:  
Selling Price  
\$10.00  
Per Bushel  
Drying Charge  
Per Moisture Pt.  
\$0.04

Std. Moisture % 13.0  
Soil pH: \_\_\_\_\_  
Organic Matter (%): \_\_\_\_\_  
Soil Texture: \_\_\_\_\_  
N-P-K Applied (lb/ac): \_\_\_\_\_  
N. App. Timing: \_\_\_\_\_  
Soil Test Results:  
Phosphorus: \_\_\_\_\_  
Potassium: \_\_\_\_\_  
Irrigated (Yes or No): \_\_\_\_\_  
Experiment Number: \_\_\_\_\_  
Plot Test Type: \_\_\_\_\_  
Weigh System: \_\_\_\_\_  
Grower Signature: \_\_\_\_\_ Use Grower Name

Entry No.	Brand	Variety	Seed Treatment	Soil Applied Insecticide	Pounds of Grain	% Grain Moisture	Row Width	Row Length	# of Rows	Counted Harvest Population	Yield @ 13% Bu/A	Rank	Test Weight Lbs/Bu	Gross Income	Rank	Comment
1	Asgrow	AG2906	crusier		1771	13.4	30	1120	8	-	57.1	19		\$ 570.44	18	
2	Asgrow	AG1906	crusier		1665	13.4	30	1120	8	-	53.7	31		\$ 536.30	29	
3	Stine X	2062-4	crusier		1760	13.1	30	1120	8	-	57.0	22		\$ 569.55	20	
4	Stine X	2062-4	crusier		1930	13.9	30	1120	8	-	61.9	2		\$ 616.83	2	
5	Stine	2032-4	crusier		1890	12.7	30	1120	8	-	61.5	3		\$ 614.68	3	
6	Stine	1932-4	crusier		1935	13.7	30	1120	8	-	62.2	1		\$ 620.36	1	
7	Stine	2682-4	crusier		1758	13.0	30	1120	8	-	57.0	21		\$ 569.78	19	
8	NK	22-C5	crusier		1730	13.6	30	1120	8	-	55.7	26		\$ 555.50	23	
9	NK	23-N7	crusier		1825	13.1	30	1120	8	-	59.1	10		\$ 590.58	10	
10	NK	27-C4	crusier		1855	14.8	30	1120	8	-	58.9	11		\$ 584.54	13	
11	NK	28-B4	crusier		1645	13.4	30	1120	8	-	53.1	32		\$ 529.86	30	
12	Latham	L2085	crusier		1850	13.5	30	1120	8	-	59.6	6		\$ 594.96	6	
13	Latham	L2158	crusier		1810	12.8	30	1120	8	-	58.8	12		\$ 587.98	11	
14	Latham	E2348	crusier		1710	13.7	30	1120	8	-	55.0	28		\$ 548.22	27	
15	Stine X	2062-4	crusier		1702	13.0	30	1120	8	-	55.2	27		\$ 551.63	25	
16	CROPLAN	RC2257	crusier		1750	14.0	30	1120	8	-	56.1	23		\$ 558.43	21	
17	CROPLAN	CC2287	crusier		1827	13.1	30	1120	8	-	59.1	9		\$ 591.23	9	
18	CROPLAN	RC2517	crusier		1745	14.2	30	1120	8	-	55.8	25		\$ 555.09	24	
19	CROPLAN	RC2620	crusier		1695	13.0	30	1120	8	-	54.9	29		\$ 549.36	26	
20	Dekalb	DKB27-52	crusier		1830	13.8	30	1120	8	-	58.8	13		\$ 585.78	12	
21	Asgrow	2108	crusier		1782	13.0	30	1120	8	-	57.8	17		\$ 577.56	17	
22	Asgrow	2222V	crusier		1705	14.0	30	1120	8	-	54.6	30		\$ 544.07	28	
23	Asgrow	2521V	crusier		1721	13.0	30	1120	8	-	55.8	24		\$ 557.79	22	
24	Stine	2432-94	crusier		1795	13.3	30	1120	8	-	58.0	16		\$ 579.07	16	
25	Stine X	2062-4	crusier		1849	13.7	30	1120	8	-	59.4	7		\$ 592.79	8	
26	Stine X	2062-4	crusier		1835	14.6	30	1120	8	-	58.4	14		\$ 580.06	15	
27	Asgrow	AG2110	crusier		1840	13.3	30	1120	8	-	59.4	8		\$ 593.59	7	
28	Asgrow	AG2622V	crusier		1865	14.0	30	1120	8	-	59.8	5		\$ 595.12	5	
29	Asgrow	AG2607	crusier		1878	13.5	30	1120	8	-	60.5	4		\$ 603.97	4	
30	Asgrow	AG2606	crusier		1790	12.5	30	1120	8	-	58.3	15		\$ 583.49	14	
											57.7		Plot Average			
											57.0		VISTIVE Average			

Test Plot Release - Crop 2008

I hereby grants Monsanto Company, including affiliated companies and subsidiaries, assigns and dealers/retailers, the right to use 2008 test plot data results pertaining to my fields (in whole or in part with such changes in language as do not substantially alter the meaning) and/or any pictures, photographs or tapes taken in conjunction with said test plot data results in its publicity and advertising.

\_\_\_\_ Yes, my name and likeness may be used in publishing test plot data results by Monsanto.

or

\_\_\_\_ I agree to publishing by Monsanto of my test plot data results, but do not use my name or likeness.

Signed: \_\_\_\_\_



Grower Signature via handheld

Date: \_\_\_\_\_

The Vine Symbol is a trademark of Monsanto Technology LLC. DEKALB is a registered trademark of DeKalb Genetics Corporation. Asgrow is a registered trademark of Monsanto Technology LLC. Individual results may vary.

Cooperator: **Olson Brothers**  
 Mailing Address: \_\_\_\_\_  
 City, State, Zip: **Bode, IA**  
 County: **Humboldt**  
 Telephone: \_\_\_\_\_  
 Seed and Trait Rep: \_\_\_\_\_  
 Planting Date: **5/22/2008**  
 Planting Population: **150,000**  
 Harvest Date: **10/9/2008**  
 Row Width (inches): **30**  
 Previous Crop: **corn**  
 Tillage Type: **Convet**  
 % Ground Cover: **0.12**  
 Years in Con Till: **n/a**  
 Foliar Insecticide: **Cobalt**  
 Date applied: **7/25/2008**  
 Rate applied: **1 pt**  
 Describe Residue: \_\_\_\_\_  
 Directions to Plot: \_\_\_\_\_  
 Loc. of Plot Row #1: \_\_\_\_\_  
 GPS Coordinates: \_\_\_\_\_

Seed Dealer: **NEW Cooperative**  
 City, State: **Bode, IA**  
 Telephone: \_\_\_\_\_  
 Contact: **Brent Wykoff**  
 Prior Yr Herb: **Harness/Calisto**  
 PreEHerb: **none**  
 Date applied: **n/a**  
 Rate applied: **n/a**  
 PostEHerb: **Roundup 2**  
 Date applied: **post**  
 Rate applied: **27 oz times 2**  
 Soil Applied Insecticide: **none**  
 Date applied: **n/a**  
 Rate applied: **n/a**  
 Foliar Fungicide: **none**  
 Date applied: **n/a**  
 Rate applied: **n/a**



2008 SOYBEAN HARVEST FORM

Assume:  
 Selling Price  
**\$10.00**  
 Per Bushel  
 Drying Charge  
**\$0.05**  
 Per Moisture Pt.

Std. Moisture %: **13.0**  
 Soil pH: **6.9**  
 Organic Matter (%): **3.5**  
 Soil Texture: **loam**  
 N-P-K Applied (lb/ac): \_\_\_\_\_  
 N. App. Timing: \_\_\_\_\_  
 Soil Test Results: \_\_\_\_\_  
 Phosphorus: \_\_\_\_\_  
 Potassium: \_\_\_\_\_  
 Irrigated (Yes or No): \_\_\_\_\_  
 Experiment Number: \_\_\_\_\_  
 Plot Test Type: \_\_\_\_\_  
 Weigh System: \_\_\_\_\_  
 Grower Signature: \_\_\_\_\_ Use Grower Name

Entry No.	Brand	Variety	Seed Treatment	Soil Applied Insecticide	Pounds of Grain	% Grain Moisture	Row Width	Row Length	# of Rows	Counted Harvest Population	Yield @ 13% Bu/A	Rank	Test Weight Lbs/Bu	Gross Income	Rank	Comment
1	Stine X	2062-4			1750	12.9	30	1156	8		55.0	19		\$ 550.16	18	
2	Stine X	2062-4	crusier		1750	12.9	30	1156	8	-	55.0	19		\$ 550.16	18	
3	Stine	1932-4	crusier		1776	11.7	30	1156	8	-	56.6	10		\$ 566.02	10	
4	Stine	2032-4	crusier		1812	12.4	30	1156	8	-	57.3	9		\$ 572.92	9	
5	NK	22-C5	crusier		1707	11.8	30	1156	8	-	54.3	23		\$ 543.42	22	
6	NK	23-N7	crusier		1714	12.0	30	1156	8	-	54.4	22		\$ 544.41	21	
7	NK	27-C4	crusier		1777	12.0	30	1156	8	-	56.4	11		\$ 564.42	11	
8	NK	28-B4	crusier		1600	12.3	30	1156	8	-	56.6	34		\$ 566.02	32	
9	Latham	L2085	crusier		1733	11.5	30	1156	8	-	55.4	17		\$ 553.57	16	
10	Latham	L2158	crusier		1632	11.5	30	1156	8	-	52.1	31		\$ 521.31	29	
11	Latham	E2348	crusier		1749	11.9	30	1156	8	-	55.6	15		\$ 556.15	15	
12	Stine X	2062-4	crusier		1762	12.3	30	1156	8	-	55.8	13		\$ 557.74	13	
13	CROPLAN	RC2257	crusier		1830	12.0	30	1156	8	-	58.1	5		\$ 581.25	5	
14	CROPLAN	RC2287	crusier		1706	12.4	30	1156	8	-	53.9	27		\$ 539.40	26	
15	CROPLAN	RC2157	crusier		1683	12.2	30	1156	8	-	53.3	29		\$ 533.35	27	
16	CROPLAN	RC2620	crusier		1842	12.2	30	1156	8	-	58.4	4		\$ 583.73	4	
17	Dekalb	DKB27-52	crusier		1856	11.8	30	1156	8	-	59.1	2		\$ 590.85	2	
18	Asgrow	AG2108	crusier		1816	12.3	30	1156	8	-	57.5	7		\$ 574.84	7	
19	Asgrow	AG2222V	crusier		1664	11.8	30	1156	8	-	53.0	30		\$ 529.73	28	
20	Asgrow	AG2521V	crusier		1642	12.3	30	1156	8	-	52.0	32		\$ 519.76	30	
21	Stine	2432-94	crusier		1731	11.8	30	1156	8	-	55.1	18		\$ 551.06	17	
22	Stine X	2062-4	crusier		1720	12.3	30	1156	8	-	54.4	21		\$ 544.45	20	
23	Stine X	2062-4	crusier		1752	11.9	30	1156	8	-	55.7	14		\$ 557.11	14	
24	Asgrow	AG1906	crusier		1614	12.5	30	1156	8	-	51.0	33		\$ 509.73	31	
25	Latham	E2285	crusier		1834	11.8	30	1156	8	-	58.4	3		\$ 583.85	3	
26	Asgrow	AG2110	crusier		1712	12.1	30	1156	8	-	54.3	24		\$ 543.15	23	
27	Asgrow	AG2607	crusier		1696	11.7	30	1156	8	-	54.1	26		\$ 540.53	25	
28	Stine	2862-4	crusier		1768	12.4	30	1156	8	-	55.9	12		\$ 559.01	12	
29	Pioneer	92M11	crusier		1794	11.4	30	1156	8	-	57.4	8		\$ 573.70	8	
30	Pioneer	92M53	crusier		1817	12.0	30	1156	8	-	57.7	6		\$ 577.12	6	
31	Stine X	2062-4	crusier		1699	11.7	30	1156	8	-	54.1	25		\$ 541.48	24	
32	Stine X	2064-4	crusier		1760	12.0	30	1156	7	-	63.9	1		\$ 638.88	1	
											55.5		Plot Average			
											53.4		VISTIVE Average			

Test Plot Release - Crop 2008

I hereby grants Monsanto Company, including affiliated companies and subsidiaries, assigns and dealers/retailers, the right to use 2008 test plot data results pertaining to my fields (in whole or in part with such changes in language as do not substantially alter the meaning) and/or any pictures, photographs or tapes taken in conjunction with said test plot data results in its publicity and advertising.

\_\_\_\_ Yes, my name and likeness may be used in publishing test plot data results by Monsanto.  
 or  
 \_\_\_\_ I agree to publishing by Monsanto of my test plot data results, but do not use my name or likeness.

Signed: \_\_\_\_\_  Grower Signature via handheld  
 Date: \_\_\_\_\_

The Vine Symbol is a trademark of Monsanto Technology LLC. DEKALB is a registered trademark of DeKalb Genetics Corporation. Asgrow is a registered trademark of Monsanto Technology LLC. Individual results may vary.

Cooperator: John Peterson  
 Mailing Address: \_\_\_\_\_  
 City, State, Zip: Glidden, IA  
 County: Carroll  
 Telephone: \_\_\_\_\_  
 Seed and Trait Rep: \_\_\_\_\_  
 Planting Date: 5/16/2008  
 Planting Population: 168,000  
 Harvest Date: 10/3/2008  
 Row Width (inches): 15  
 Previous Crop: corn  
 Tillage Type: Convet  
 % Ground Cover: \_\_\_\_\_  
 Years in Con Till: \_\_\_\_\_  
 Foliar Insecticide: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 Describe Residue: \_\_\_\_\_  
 Directions to Plot: \_\_\_\_\_  
 Loc. of Plot Row #1: \_\_\_\_\_  
 GPS Coordinates: \_\_\_\_\_

Seed Dealer: \_\_\_\_\_  
 City, State: \_\_\_\_\_  
 Telephone: \_\_\_\_\_  
 Contact: \_\_\_\_\_  
 Prior Yr Herb: \_\_\_\_\_  
 PreEHerb: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 PostEHerb: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 Soil Applied Insecticide: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 Foliar Fungicide: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_



2008 SOYBEAN HARVEST FORM

Assume:  
 Selling Price  
\$10.00  
 Per Bushel  
 Drying Charge  
 Per Moisture Pt.  
\$0.04

Std. Moisture %: 13.0  
 Soil pH: \_\_\_\_\_  
 Organic Matter (%): \_\_\_\_\_  
 Soil Texture: \_\_\_\_\_  
 N-P-K Applied (lb/ac): \_\_\_\_\_  
 N. App. Timing: \_\_\_\_\_  
 Soil Test Results:  
 Phosphorus: \_\_\_\_\_  
 Potassium: \_\_\_\_\_  
 Irrigated (Yes or No): \_\_\_\_\_  
 Experiment Number: \_\_\_\_\_  
 Plot Test Type: \_\_\_\_\_  
 Weigh System: \_\_\_\_\_  
 Grower Signature: \_\_\_\_\_ Use Grower Name

Entry No.	Brand	Variety	Seed Treatment	Soil Applied Insecticide	Pounds of Grain	% Grain Moisture	Row Width	Row Length	# of Rows	Counted Harvest Population	Yield @ 13% Bu/A	Rank	Test Weight Lbs/Bu	Gross Income	Rank	Comment
1	Pioneer	92M11	crusier		3588	11.6	528	1225	1	-	49.1	4		\$ 491.06	4	
2	Stine	2062-4	crusier		3746	11.9	528	1225	1	-	51.1	1		\$ 510.94	1	
3	Pioneer	92Y20	crusier		3434	11.0	528	1225	1	-	47.3	11		\$ 473.17	10	
4	Pioneer	92Y30	crusier		3394	10.8	528	1225	1	-	46.9	12		\$ 468.71	11	
5	Pioneer	92M53	crusier		3438	10.9	528	1225	1	-	47.4	10		\$ 474.26	9	
6	Pioneer	92M61	crusier		3494	10.8	528	1225	1	-	48.3	6		\$ 482.52	6	
7	Dekalb	27-52	crusier		3672	10.9	528	1225	1	-	50.7	2		\$ 506.53	2	
8	Pioneer	92M76	crusier		3460	10.8	528	1225	1	-	47.8	9		\$ 477.83	8	
9	NK	27-C4	crusier		3100	11.5	528	1225	1	-	42.5	13		\$ 424.75	12	
10	Pioneer	92Y80	crusier		3604	11.2	528	1225	1	-	49.5	3		\$ 495.48	3	
11	Stine	2862-4	crusier		3476	11.2	528	1225	1	-	47.8	8		\$ 477.88	7	
12	Pioneer	93M13	crusier		3574	11.5	528	1225	1	-	49.0	5		\$ 489.70	5	
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																
31																
32																
											48.1					Plot Average
																VISTIVE Average

Test Plot Release - Crop 2008

I hereby grants Monsanto Company, including affiliated companies and subsidiaries, assigns and dealers/retailers, the right to use 2008 test plot data results pertaining to my fields (in whole or in part with such changes in language as do not substantially alter the meaning) and/or any pictures, photographs or tapes taken in conjunction with said test plot data results in its publicity and advertising.

\_\_\_\_ Yes, my name and likeness may be used in publishing test plot data results by Monsanto.  
 or  
 \_\_\_\_ I agree to publishing by Monsanto of my test plot data results, but do not use my name or likeness.

Signed: \_\_\_\_\_  Grower Signature via handheld

Date: \_\_\_\_\_

The Vine Symbol is a trademark of Monsanto Technology LLC. DEKALB is a registered trademark of DeKalb Genetics Corporation. Asgrow is a registered trademark of Monsanto Technology LLC. Individual results may vary.

Cooperator: \_\_\_\_\_  
 Mailing Address: \_\_\_\_\_  
 City, State, Zip: **Manson, IA**  
 County: \_\_\_\_\_  
 Telephone: \_\_\_\_\_  
 Seed and Trait Rep: \_\_\_\_\_  
 Planting Date: \_\_\_\_\_  
 Planting Population: \_\_\_\_\_  
 Harvest Date: **10/3/2008**  
 Row Width (inches): **30**  
 Previous Crop: \_\_\_\_\_  
 Tillage Type: \_\_\_\_\_  
 % Ground Cover: \_\_\_\_\_  
 Years in Con Till: \_\_\_\_\_  
 Foliar Insecticide: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 Describe Residue: \_\_\_\_\_  
 Directions to Plot: \_\_\_\_\_  
 Loc. of Plot Row #1: \_\_\_\_\_  
 GPS Coordinates: (Latitude) N \_\_\_\_\_ (Longitude) W \_\_\_\_\_ Elevation (ft) \_\_\_\_\_

Seed Dealer: \_\_\_\_\_  
 City, State: \_\_\_\_\_  
 Telephone: \_\_\_\_\_  
 Contact: \_\_\_\_\_  
 Prior Yr Herb: \_\_\_\_\_  
 PreEHerb: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 PostEHerb: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 Soil Applied Insecticide: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 Foliar Fungicide: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_



2008 SOYBEAN HARVEST FORM

Assume:  
 Selling Price  
 \$10.00  
 Per Bushel  
 Drying Charge  
 Per Moisture Pt.  
 \$0.04

Std. Moisture % **13.0**  
 Soil pH: \_\_\_\_\_  
 Organic Matter (%): \_\_\_\_\_  
 Soil Texture: \_\_\_\_\_  
 N-P-K Applied (lb/ac): \_\_\_\_\_  
 N. App. Timing: \_\_\_\_\_  
 Soil Test Results:  
 Phosphorus: \_\_\_\_\_  
 Potassium: \_\_\_\_\_  
 Irrigated (Yes or No): \_\_\_\_\_  
 Experiment Number: \_\_\_\_\_  
 Plot Test Type: \_\_\_\_\_  
 Weigh System: \_\_\_\_\_  
 Grower Signature: \_\_\_\_\_ Use Grower Name \_\_\_\_\_

Entry No.	Brand	Variety	Seed Treatment	Soil Applied Insecticide	Pounds of Grain	% Grain Moisture	Row Width	Row Length	# of Rows	Counted Harvest Population	Yield @ 13% Bu/A	Rank	Test Weight Lbs/Bu	Gross Income	Rank	Comment
1	Stine X	2062-4			830	11.2	30	1226	4		50.2	34		\$ 501.67	32	
2	Stine X	2062-4	crusier		980	11.2	30	1226	4	-	59.2	4		\$ 592.33	4	
3	Stine	1932-4	crusier		900	10.4	30	1226	4	-	54.9	21		\$ 548.88	20	
4	Stine	2032-4	crusier		940	11.0	30	1226	4	-	56.9	14		\$ 569.44	14	
5	Stine	2682-4	crusier		970	10.6	30	1226	4	-	59.0	6		\$ 590.25	6	
6	NK	22-C5	crusier		940	10.8	30	1226	4	-	57.1	13		\$ 570.72	13	
7	NK	23-N7	crusier		880	10.4	30	1226	4	-	53.7	26		\$ 536.68	24	
8	NK	27-C4	crusier		990	10.9	30	1226	4	-	60.0	3		\$ 600.40	3	
9	NK	28-B4	crusier		840	10.4	30	1226	4	-	51.2	32		\$ 512.29	30	
10	Latham	L2085	crusier		950	9.9	30	1226	4	-	58.3	8		\$ 582.61	8	
11	Latham	L2158	crusier		870	10.5	30	1226	4	-	53.0	29		\$ 529.99	27	
12	Latham	E2348	crusier		930	11.0	30	1226	4	-	56.3	16		\$ 563.38	16	
13	Stine X	2062-4	crusier		910	11.0	30	1226	4	-	55.1	19		\$ 551.26	18	
14	CROPLAN	RC2257	crusier		980	11.2	30	1226	4	-	59.2	4		\$ 592.33	4	
15	CROPLAN	RC2287	crusier		920	10.9	30	1226	4	-	55.8	18		\$ 557.95	17	
16	CROPLAN	RC2517	crusier		930	10.9	30	1226	4	-	56.4	15		\$ 564.01	15	
17	CROPLAN	RC2620	crusier		1000	10.8	30	1226	4	-	60.7	2		\$ 607.14	2	
18	Dekalb	DKB27-52	crusier		950	11.1	30	1226	4	-	57.5	11		\$ 574.85	11	
19	Asgrow	2108	crusier		940	10.7	30	1226	4	-	57.1	12		\$ 571.36	12	
20	Asgrow	2222V	crusier		950	11.0	30	1226	4	-	57.5	10		\$ 575.49	10	
21	Asgrow	2521V	crusier		850	10.5	30	1226	4	-	51.8	31		\$ 517.81	29	
22	Stine	2432-94	crusier		910	11.3	30	1226	4	-	54.9	20		\$ 549.40	19	
23	Stine X	2062-4	crusier		890	11.1	30	1226	4	-	53.9	24		\$ 538.54	22	
24	Stine X	2062-4	crusier		880	11.2	30	1226	4	-	53.2	28		\$ 531.89	26	
25	Latham	E2658	crusier		840	10.7	30	1226	4	-	51.1	33		\$ 510.57	31	
26	Latham	E2285	crusier		900	11.6	30	1226	4	-	54.2	23		\$ 541.53	21	
27	CROPLAN	RC3125	crusier		870	12.4	30	1226	4	-	51.9	30		\$ 516.74	28	
28	Asgrow	1906	crusier		890	11.1	30	1226	4	-	53.9	24		\$ 538.54	22	
29	Asgrow	2602	crusier		960	11.2	30	1226	4	-	58.0	9		\$ 580.24	9	
30	Asgrow	2906	crusier		1010	11.3	30	1226	4	-	61.0	1		\$ 609.78	1	
31	Merschman	Novaho 720R	crusier		880	10.5	30	1226	4	-	53.6	27		\$ 536.08	25	
32	Merschman	Mars 819R			980	11.6	30	1226	4	-	59.0	7		\$ 589.67	7	
											55.8		Plot Average			
											54.8		VISTIVE Average			

Test Plot Release - Crop 2008

I hereby grants Monsanto Company, including affiliated companies and subsidiaries, assigns and dealers/retailers, the right to use 2008 test plot data results pertaining to my fields (in whole or in part with such changes in language as do not substantially alter the meaning) and/or any pictures, photographs or tapes taken in conjunction with said test plot data results in its publicity and advertising.

\_\_\_\_ Yes, my name and likeness may be used in publishing test plot data results by Monsanto.  
 or  
 \_\_\_\_ I agree to publishing by Monsanto of my test plot data results, but do not use my name or likeness.

Signed: \_\_\_\_\_  Grower Signature via handheld

Date: \_\_\_\_\_

The Vine Symbol is a trademark of Monsanto Technology LLC. DEKALB is a registered trademark of DeKalb Genetics Corporation. Asgrow is a registered trademark of Monsanto Technology LLC. Individual results may vary.

Cooperator: Webster County Fair Ground  
 Mailing Address: \_\_\_\_\_  
 City, State, Zip: Otho, IA  
 County: Webster  
 Telephone: \_\_\_\_\_  
 Seed and Trait Rep: \_\_\_\_\_  
 Planting Date: 5/25/2008  
 Planting Population: 150,000  
 Harvest Date: 10/4/2008  
 Row Width (inches): 30  
 Previous Crop: \_\_\_\_\_  
 Tillage Type: Convnt  
 % Ground Cover: \_\_\_\_\_  
 Years in Con Till: \_\_\_\_\_  
 Foliar Insecticide: Lorsban  
 Date applied: 8/6/2008  
 Rate applied: 16 oz  
 Describe Residue: \_\_\_\_\_  
 Directions to Plot: \_\_\_\_\_  
 Loc. of Plot Row #1: \_\_\_\_\_  
 GPS Coordinates: (Latitude) N \_\_\_\_\_ (Longitude) W \_\_\_\_\_ Elevation (ft) \_\_\_\_\_

Seed Dealer: NEW Cooperative  
 City, State: Otho, IA  
 Telephone: 515-571-3703  
 Contact: Grant Klever  
 Prior Yr Herb: \_\_\_\_\_  
 PreEHerb: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 PostEHerb: Roundup  
 Date applied: 6/18/2008  
 Rate applied: 28 oz  
 Soil Applied Insecticide: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 Foliar Fungicide: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_



2008 SOYBEAN HARVEST FORM

Assume:  
 Selling Price \$10.00  
 Per Bushel  
 Drying Charge Per Moisture Pt. \$0.05  
 Std. Moisture % 13.0  
 Soil pH: \_\_\_\_\_  
 Organic Matter (%): \_\_\_\_\_  
 Soil Texture: \_\_\_\_\_  
 N-P-K Applied (lb/ac): \_\_\_\_\_  
 N. App. Timing: \_\_\_\_\_  
 Soil Test Results: \_\_\_\_\_  
 Phosphorus: \_\_\_\_\_  
 Potassium: \_\_\_\_\_  
 Irrigated (Yes or No): \_\_\_\_\_  
 Experiment Number: \_\_\_\_\_  
 Plot Test Type: \_\_\_\_\_  
 Weigh System: \_\_\_\_\_  
 Grower Signature: \_\_\_\_\_ Use Grower Name \_\_\_\_\_

Entry No.	Brand	Variety	Seed Treatment	Soil Applied Insecticide	Pounds of Grain	% Grain Moisture	Row Width	Row Length	# of Rows	Counted Harvest Population	Yield @ 13% Bu/A	Rank	Test Weight Lbs/Bu	Gross Income	Rank	Comment
1	Stine X	2062-4			184	10.0	30	319	4		43.3	25		\$ 433.20	23	
2	Stine X	2062-4	crusier		214	9.8	30	331	4	-	48.7	15		\$ 486.64	13	
3	Stine	1932-4	crusier		232	9.8	30	343	4	-	50.9	7		\$ 509.12	7	
4	Stine	2032-4	crusier		228	10.0	30	355	4	-	48.2	17		\$ 482.35	15	
5	Stine	2862-4	crusier		266	10.8	30	367	4	-	54.0	5		\$ 539.51	5	
6	NK	22-C5	crusier		226	10.0	30	379	4	-	44.8	24		\$ 447.85	22	
7	NK	23-N7	crusier		246	10.0	30	397	4	-	46.5	21		\$ 465.38	19	
8	NK	27-C4	crusier		264	10.5	30	403	4	-	48.9	13		\$ 489.26	11	
9	NK	28-B4	crusier		290	10.3	30	415	4	-	52.3	6		\$ 523.07	6	
10	Latham	L2085	crusier		282	9.9	30	427	4	-	49.7	10		\$ 496.55	8	
11	Latham	L2158	crusier		276	10.0	30	439	4	-	47.2	19		\$ 472.18	17	
12	Latham	E2348	crusier		288	10.1	30	451	4	-	47.9	18		\$ 479.06	16	
13	Stine X	2062-4	crusier		304	9.9	30	463	4	-	49.4	11		\$ 493.67	9	
14	CROPLAN	RC2257	crusier		308	10.0	30	475	4	-	48.7	14		\$ 486.99	12	
15	CROPLAN	RC2287	crusier		314	9.9	30	487	4	-	48.5	16		\$ 484.78	14	
16	CROPLAN	RC2517	crusier		314	10.3	30	499	4	-	47.1	20		\$ 471.02	18	
17	CROPLAN	RC2620	crusier		392	10.1	30	511	4	-	57.5	1		\$ 575.50	1	
18	Dekalb	DKB27-52	crusier		382	10.2	30	523	4	-	54.7	4		\$ 547.34	4	
19	Asgrow	2108	crusier		374	10.2	30	490	4	-	57.2	2		\$ 571.97	2	
20	Asgrow	2222V	crusier		300	10.1	30	486	4	-	46.3	22		\$ 463.09	20	
21	Asgrow	2521V	crusier		306	10.2	30	498	4	-	46.0	23		\$ 460.45	21	
22	Stine	2432-94	crusier		386	9.8	30	510	4	-	57.0	3		\$ 569.69	3	
23	Stine X	2062-4	crusier		342	10.1	30	522	4	-	49.2	12		\$ 491.51	10	
24																
25																
26																
27																
28																
29																
30																
31																
32																
											49.7		Plot Average			
											49.8		VISTIVE Average			

Test Plot Release - Crop 2008

I hereby grants Monsanto Company, including affiliated companies and subsidiaries, assigns and dealers/retailers, the right to use 2008 test plot data results pertaining to my fields (in whole or in part with such changes in language as do not substantially alter the meaning) and/or any pictures, photographs or tapes taken in conjunction with said test plot data results in its publicity and advertising.

\_\_\_\_ Yes, my name and likeness may be used in publishing test plot data results by Monsanto.

or

\_\_\_\_ I agree to publishing by Monsanto of my test plot data results, but do not use my name or likeness.

Signed: \_\_\_\_\_



Grower Signature via handheld

Date: \_\_\_\_\_

The Vine Symbol is a trademark of Monsanto Technology LLC. DEKALB is a registered trademark of DeKalb Genetics Corporation. Asgrow is a registered trademark of Monsanto Technology LLC. Individual results may vary.

Cooperator: Folsom Farms  
 Mailing Address: \_\_\_\_\_  
 City, State, Zip: Rockwell City, IA  
 County: \_\_\_\_\_  
 Telephone: \_\_\_\_\_  
 Seed and Trait Rep: \_\_\_\_\_  
 Planting Date: 5/16/2008  
 Planting Population: \_\_\_\_\_  
 Harvest Date: 10/3/2008  
 Row Width (inches): 30  
 Previous Crop: \_\_\_\_\_  
 Tillage Type: \_\_\_\_\_  
 % Ground Cover: \_\_\_\_\_  
 Years in Con Till: \_\_\_\_\_  
 Foliar Insecticide: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 Describe Residue: \_\_\_\_\_  
 Directions to Plot: \_\_\_\_\_  
 Loc. of Plot Row #1: \_\_\_\_\_  
 GPS Coordinates: \_\_\_\_\_

Seed Dealer: \_\_\_\_\_  
 City, State: \_\_\_\_\_  
 Telephone: \_\_\_\_\_  
 Contact: \_\_\_\_\_  
 Prior Yr Herb: \_\_\_\_\_  
 PreEHerb: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 PostEHerb: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 Soil Applied Insecticide: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 Foliar Fungicide: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_



2008 SOYBEAN HARVEST FORM

Assume:  
 Selling Price  
\$10.00  
 Per Bushel  
 Drying Charge  
 Per Moisture Pt.  
\$0.04

Std. Moisture % 13.0  
 Soil pH: \_\_\_\_\_  
 Organic Matter (%): \_\_\_\_\_  
 Soil Texture: \_\_\_\_\_  
 N-P-K Applied (lb/ac): \_\_\_\_\_  
 N. App. Timing: \_\_\_\_\_  
 Soil Test Results: \_\_\_\_\_  
 Phosphorus: \_\_\_\_\_  
 Potassium: \_\_\_\_\_  
 Irrigated (Yes or No): \_\_\_\_\_  
 Experiment Number: \_\_\_\_\_  
 Plot Test Type: \_\_\_\_\_  
 Weigh System: \_\_\_\_\_  
 Grower Signature: \_\_\_\_\_ Use Grower Name

Entry No.	Brand	Variety	Seed Treatment	Soil Applied Insecticide	Pounds of Grain	% Grain Moisture	Row Width	Row Length	# of Rows	Counted Harvest Population	Yield @ 13% Bu/A	Rank	Test Weight Lbs/Bu	Gross Income	Rank	Comment
1	Stine X	2062-4			910	10.2	30	1320	4		51.7	30		\$ 516.61	28	
2	Stine X	2062-4	crusier		990	10.9	30	1320	4	-	55.8	27		\$ 557.64	25	
3	Stine	1932-4	crusier		1060	10.4	30	1320	4	-	60.0	7		\$ 600.42	7	
4	Stine	2032-4	crusier		1000	10.7	30	1320	4	-	56.5	24		\$ 564.54	23	
5	Stine	2682-4	crusier		1050	10.0	30	1320	4	-	59.7	8		\$ 597.41	8	
6	NK	22-C5	crusier		1010	10.6	30	1320	4	-	57.1	21		\$ 570.82	20	
7	NK	23-N7	crusier		1000	10.5	30	1320	4	-	56.6	22		\$ 565.80	21	
8	NK	27-C4	crusier		1080	11.1	30	1320	4	-	60.7	5		\$ 606.97	5	
9	NK	28-B4	crusier		1130	10.4	30	1320	4	-	64.0	1		\$ 640.07	1	
10	Latham	L2085	crusier		1030	10.5	30	1320	4	-	58.3	13		\$ 582.78	13	
11	Latham	L2158	crusier		1010	10.3	30	1320	4	-	57.3	19		\$ 572.74	18	
12	Latham	E2348	crusier		980	11.0	30	1320	4	-	55.1	29		\$ 551.39	27	
13	Stine X	2062-4	crusier		830	10.6	30	1040	4	-	59.5	9		\$ 595.39	9	
14	CROPLAN	RC2257	crusier		800	11.0	30	1040	4	-	57.1	20		\$ 571.30	19	
15	CROPLAN	RC2287	crusier		800	10.4	30	1040	4	-	57.5	18		\$ 575.15	17	
16	CROPLAN	RC2517	crusier		810	10.9	30	1040	4	-	57.9	15		\$ 579.09	14	
17	CROPLAN	RC2620	crusier		890	10.5	30	1040	4	-	63.9	2		\$ 639.14	2	
18	Dekalb	DKB27-52	crusier		870	10.9	30	1040	4	-	62.2	3		\$ 621.99	3	
19	Asgrow	2108	crusier		820	10.5	30	1040	4	-	58.9	10		\$ 588.87	10	
20	Asgrow	2222V	crusier		780	10.8	30	1040	4	-	56.8	26		\$ 568.27	24	
21	Asgrow	2521V	crusier		770	10.5	30	1040	4	-	55.3	28		\$ 552.97	26	
22	Stine	2432-94	crusier		810	11.0	30	1040	4	-	57.8	16		\$ 578.44	15	
23	Stine X	2062-4	crusier		810	10.3	30	1040	4	-	58.3	12		\$ 582.99	12	
24	Stine X	2062-4	crusier		810	11.2	30	1040	4	-	57.7	17		\$ 577.14	16	
25	CROPLAN	RC3125	crusier		820	10.8	30	1040	4	-	58.7	11		\$ 586.90	11	
26	Asgrow	2002	crusier		790	10.9	30	1040	4	-	56.5	23		\$ 564.79	22	
27	Asgrow	2606	crusier		840	10.7	30	1040	4	-	60.2	6		\$ 601.89	6	
28	Latham	E2658	crusier		860	11.1	30	1040	4	-	61.3	4		\$ 613.46	4	
29																
30																
31																
32																
											58.3		Plot Average			
											56.3		VISTIVE Average			

Test Plot Release - Crop 2008

I hereby grants Monsanto Company, including affiliated companies and subsidiaries, assigns and dealers/retailers, the right to use 2008 test plot data results pertaining to my fields (in whole or in part with such changes in language as do not substantially alter the meaning) and/or any pictures, photographs or tapes taken in conjunction with said test plot data results in its publicity and advertising.

\_\_\_\_ Yes, my name and likeness may be used in publishing test plot data results by Monsanto.  
 or  
 \_\_\_\_ I agree to publishing by Monsanto of my test plot data results, but do not use my name or likeness.

Signed: \_\_\_\_\_  Grower Signature via handheld

Date: \_\_\_\_\_

The Vine Symbol is a trademark of Monsanto Technology LLC. DEKALB is a registered trademark of DeKalb Genetics Corporation. Asgrow is a registered trademark of Monsanto Technology LLC. Individual results may vary.

Cooperator: **Keith Brock**  
 Mailing Address: \_\_\_\_\_  
 City, State, Zip: **Woolstock, IA**  
 County: \_\_\_\_\_  
 Telephone: \_\_\_\_\_  
 Seed and Trait Rep: \_\_\_\_\_  
 Planting Date: **5/21/2008**  
 Planting Population: **144,000**  
 Harvest Date: **10/5/2008**  
 Row Width (inches): **30**  
 Previous Crop: **corn**  
 Tillage Type: \_\_\_\_\_  
 % Ground Cover: \_\_\_\_\_  
 Years in Con Till: \_\_\_\_\_  
 Foliar Insecticide: **Lorsban**  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 Describe Residue: \_\_\_\_\_  
 Directions to Plot: \_\_\_\_\_  
 Loc. of Plot Row #1: \_\_\_\_\_  
 GPS Coordinates: \_\_\_\_\_

Seed Dealer: **NEW Cooperative**  
 City, State: **Woolstock, IA**  
 Telephone: \_\_\_\_\_  
 Contact: \_\_\_\_\_  
 Prior Yr Herb: \_\_\_\_\_  
 PreEHerb: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 PostEHerb: **RRWeatherMax**  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 Soil Applied Insecticide: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_  
 Foliar Fungicide: \_\_\_\_\_  
 Date applied: \_\_\_\_\_  
 Rate applied: \_\_\_\_\_



2008 SOYBEAN HARVEST FORM

Assume:  
 Selling Price  
**\$10.00**  
 Per Bushel  
 Drying Charge  
 Per Moisture Pt.  
**\$0.04**

Std. Moisture % **13.0**  
 Soil pH: \_\_\_\_\_  
 Organic Matter (%): \_\_\_\_\_  
 Soil Texture: \_\_\_\_\_  
 N-P-K Applied (lb/ac): \_\_\_\_\_  
 N. App. Timing: \_\_\_\_\_  
 Soil Test Results:  
 Phosphorus: \_\_\_\_\_  
 Potassium: \_\_\_\_\_  
 Irrigated (Yes or No): \_\_\_\_\_  
 Experiment Number: \_\_\_\_\_  
 Plot Test Type: \_\_\_\_\_  
 Weigh System: \_\_\_\_\_  
 Grower Signature: \_\_\_\_\_ Use Grower Name

Entry No.	Brand	Variety	Seed Treatment	Soil Applied Insecticide	Pounds of Grain	% Grain Moisture	Row Width	Row Length	# of Rows	Counted Harvest Population	Yield @ 13% Bu/A	Rank	Test Weight Lbs/Bu	Gross Income	Rank	Comment
1	Stine X	2062-4			1236	11.3	30	820	8		55.8	19		\$ 557.85	18	
2	Stine X	2062-4	crusier		1210	11.2	30	781	8	-	57.4	13		\$ 574.03	13	
3	Stine	1932-4	crusier		1275	10.9	30	774	8	-	61.2	4		\$ 612.40	4	
4	Stine	2032-4	crusier		1128	10.9	30	733	8	-	57.2	14		\$ 572.10	14	
5	Stine	2682-4	crusier		1112	11.2	30	713	8	-	57.8	10		\$ 577.85	10	
6	NK	22-C5	crusier		1154	10.7	30	697	8	-	61.7	2		\$ 616.90	2	
7	NK	23-N7	crusier		1034	10.6	30	688	8	-	56.1	18		\$ 560.61	17	
8	NK	27-C4	crusier		1178	11.7	30	718	8	-	60.4	6		\$ 604.46	6	
9	NK	28-B4	crusier		1282	11.1	30	772	8	-	61.6	3		\$ 615.97	3	
10	Latham	L2085	crusier		1540	10.6	30	943	8	-	60.9	5		\$ 609.16	5	
11	Latham	L2158	crusier		1446	10.7	30	1000	8	-	53.9	22		\$ 538.77	21	
12	Latham	E2348	crusier		1560	11.1	30	1000	8	-	57.9	9		\$ 578.65	9	
13	Stine X	2062-4	crusier		1416	11.2	30	1000	8	-	52.5	27		\$ 524.64	25	
14	CROPLAN	RC2257	crusier		1460	11.2	30	1000	8	-	54.1	21		\$ 540.95	20	
15	CROPLAN	RC2287	crusier		1432	11.2	30	1000	8	-	53.1	26		\$ 530.57	24	
16	CROPLAN	RC2517	crusier		1446	11.0	30	1000	8	-	53.7	23		\$ 536.96	22	
17	CROPLAN	RC2620	crusier		1570	11.1	30	1000	8	-	58.2	8		\$ 582.36	8	
18	Dekalb	DKB27-52	crusier		1552	11.0	30	1000	8	-	57.6	11		\$ 576.33	11	
19	Asgrow	2108	crusier		1512	11.0	30	1000	8	-	56.1	17		\$ 561.47	16	
20	Asgrow	2222V	crusier		1370	10.8	30	1000	8	-	51.0	29		\$ 509.89	27	
21	Asgrow	2521V	crusier		1340	11.4	30	1000	8	-	49.5	30		\$ 495.37	28	
22	Stine	2432-94	crusier		1602	10.9	30	1000	8	-	59.6	7		\$ 595.56	7	
23	Stine X	2062-4	crusier		1526	11.1	30	1000	8	-	56.6	15		\$ 566.04	15	
24	Stine X	2062-4	crusier		1446	11.3	30	1000	8	-	53.5	24		\$ 535.15	23	
25	CROPLAN	RC2937	crusier		1422	11.9	30	1000	8	-	52.3	28		\$ 522.71	26	
26	CROPLAN	RC3125	crusier		1682	12.0	30	1000	8	-	61.8	1		\$ 617.58	1	
27	Asgrow	2110	crusier		1504	11.2	30	1000	8	-	55.7	20		\$ 557.25	19	
28	Asgrow	2607	crusier		1556	11.3	30	1000	8	-	57.6	12		\$ 575.87	12	
29																
30																
31																
32																
											56.6		Plot Average			
											53.4		VISTIVE Average			

Test Plot Release - Crop 2008

I hereby grants Monsanto Company, including affiliated companies and subsidiaries, assigns and dealers/retailers, the right to use 2008 test plot data results pertaining to my fields (in whole or in part with such changes in language as do not substantially alter the meaning) and/or any pictures, photographs or tapes taken in conjunction with said test plot data results in its publicity and advertising.

\_\_\_\_ Yes, my name and likeness may be used in publishing test plot data results by Monsanto.  
 or  
 \_\_\_\_ I agree to publishing by Monsanto of my test plot data results, but do not use my name or likeness.

Signed: \_\_\_\_\_  Grower Signature via handheld  
 Date: \_\_\_\_\_

The Vine Symbol is a trademark of Monsanto Technology LLC. DEKALB is a registered trademark of DeKalb Genetics Corporation. Asgrow is a registered trademark of Monsanto Technology LLC. Individual results may vary.